Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2		380/277.ccls. and hardware with identifier with key and security with module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 07:50
S65	29	hardware with identifier with key and security with module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 07:49
S42	979	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 07:49
S67	2	"5999629".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 11:23
S66	. 8	S65 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 11:21
S3	615	S2 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR •	OFF	2007/09/02 11:10
S1	21	(todd near2 arnold steven near2 bade) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 11:09
S64	2	"20050039016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 17:57
S63	4	380/277.ccls. and encrypt adj3 key adj3 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 17:57

			•			
S19	24	encrypt adj3 key adj3 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 17:14
S62	15	S61 and (@ad<"20020314" @rlad<"20020314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 13:11
S61	, ,	(cryptographic security) adj module same (software adj application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 13:11
S8	6	S7 and @ad<"20020314" 	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 13:11
S60	4	key\$1 same large same impossib\$7 same remember\$3 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/03/15 14:46
S59	3	key\$1 same large same impossib\$7 with remember\$3 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:45
S58	12	key\$1 same large same difficult\$3 with remember\$3 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:44
S57	18	key\$1 same large with difficult\$3 with remember\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:36
S56	54	key\$1 same large same difficult\$3 with remember\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:32
S55 .	90	key\$1 same large same difficult\$3 same remember\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:32

9/4/2007 7:50:22 AM

S54	4	key\$1 same large same cryptography same remember\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:31
S53	2	key\$1 same large same cryptography same remember	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:27
S52		key\$1 same large same computer\$1 same cryptography same remember	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:27
S51	0	key with large same computer\$1 same cryptography same remember	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:26
S50	56	key with large same computer\$1 same cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:26
S49	0	key with large same computer\$1 same modern same cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:26
S48	0	key with large same computers same modern same cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:25
S47	0	key with large with computers same modern same cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:25
S46	1	keys with large with humans same computers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:24
S45 <sup>-</sup>	0	keys with too with large with humans same computers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:23

			· <sub>[-</sub> · · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
S44	2	"20030196124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:36
S43	82	S42 and (encryption with key with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 10:51
S41	2	"20030177401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/23 17:50
S40	101	S39 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:56
S39	158	concatenat\$3 with key with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:56
S37	208	S36 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:56
S38	48	S37 and concatenat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:55
S36	443	hash with encryption adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:23
S35	1283	hash with encryption with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:23
S34	8	S33 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:23

S33 '	12	signed adj encryption adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:11
S32	26	S31 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:11
S31	36	verify adj authenticity with encryption with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 15:45
S30	1	(digital\$2 adj sign\$5) with (combine concatenate) with encryption with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:32
S28	23	(digital\$2 adj sign\$5) with attach\$3 with encryption with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:31
S29	12	S28 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:07
S26	1203	S25 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:07
S25	1951	(digital\$2 adj sign\$5) with (encryption and key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:06
S27	448	S26 and (verify with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 11:02
S24	9	("5237610"   "5557765"   "5673318"   "5796830"   "5907618").PN. OR ("6549626"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 16:37

		EAST SearC		1		
S23	17	S19 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:11
S22	615	S21 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:11
S21	615	S20 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/07 16:10
S20		380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:10
S18	0	encrypt adj key adj password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:08
S17	0	encrypt adj2 ("key with password" "key using password")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:08
S16	0	encrypt adj ("key with password" "key using password")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:06
S15	91	S14 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:04
S14	130	(determine check verify) adj ((encryption decryption) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 12:02
S13	45	(determine check verify) with (valid\$3) with ((encryption decryption) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 12:02

			T	T		1
S12	58	S11 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 12:02
S11	90	verif\$ adj2 ((encryption decryption) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:50
S10	609	S9 and @ad<"20020314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:48
S9	962	verif\$ with ((encryption decryption) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:47
S7		protected adj encryption adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:41
S6	98	380/284.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:41
S5	208	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 09:41
S4	3	S3 and (encrypt adj key with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:56
S2	892	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:00